	Re	estaurant:
	Ac	ddress:
	Ci	ty:
	Sto	ate/Zip:
	Po	urent Co:
	Co	ompleted By:
Dro I	nct	all Checklist for 3M XT-1
rie-i		rsion 3.0
	1)	Does the customer want the Order Taker in a similar mode to "Talk Lock" (i.e.: Order Taker does not have to press any buttons to handle a call)?
		Yes - Select "OT" mode for Hands Free
	•	
	2)	Does the customer want to listen to the customer once the vehicle arrives, or when the call is answered?
		When vehicle arrives – select "AL" Mode When call is answered – select "ML" Mode
	21	Does the gustoman want the ander taken to make talk once or make avery time they talk?
	3)	Does the customer want the order taker to press talk once, or press every time they talk? Just once - select "MLT" mode Every time - select "PTT" mode
		 ,
	4)	Does the customer do outside order taking?
		Yes - select "Allow outside order taking" mode No - factory default is already set
	5)	Does the customer want an external button to change Order taking modes?
		Yes - Order push button and connect appropriately
	6)	Does the customer want the order taker to hear pages?
		Yes - Set "yes" to Allow Order Taker to hear pages in Global Settings
		No - factory default setting is "no" to Allow Order Taker to hear pages
	7)	Does the customer have a Grill Monitor Speaker?
		Yes- Complete a, b, and cNo- go to Question #8
		 a) Does the customer want to hear pages on the Grill Monitor Yes - Enable pages on Grill Monitor
		res Enable pages on Grin Monitor
		h) Door the customer want to hear inhound Audio on the Crill Monitor?
		 b) Does the customer want to hear <u>inbound</u> Audio on the Grill Monitor? Yes - Enable inbound Audio on Grill Monitor
		c) Does the customer want to hear <u>outbound</u> Audio on the Grill Monitor?Yes - Enable outbound Audio on Grill Monitor

8)	Do	ses the customer want to use the Vehicle Approach Message? Yes - Requires a dedicated vehicle detector for this purpose. Add internal vehicle detector to order for this feature to operate. Connect detector to either VEH DET slot 2 or 3 and connect the active Low VEH DET signal to the VEH Approach connector. No - no action required
9)	Wł	nat language does the customer want the Base station text and headset messages in?Set language
10)	Wŀ	nat are the store hours?
	т	Set store hours- Monday
	тu	esdayFridayThursdayFridayFriday
	_	SaturdaySunday
11)	D	oes the customer want different volumes for Day/Night?Yes – Set Day/Night level
12)	D	oes the customer want the store closed message when the store is closed? Yes - Activate message and set volume level
13)	W	hat languages does the customer want the store closed message in?Set language
14)	D	oes the customer want a greeter? Yes - add internal greeter to order
15)	ls	this dual lane site?Yes - Answer the following questions:No- Proceed to #16
	a)	If this a Tandem Dual Lane setup, does the customer want the "Please Pull Ahead" message?Yes – set "Please Pull Ahead" message to yes
	b)	Does the customer want Pages to cross lanes?Yes – set pages can cross lanes to Yes
	c)	When in Cross Lane (i.e.: One Order Taker), does the customer want to hear both lanes?Yes - set Cross Lane talk for both lanes
	d)	Does the customer want an external button to Change between Split and Cross Lane?Yes - Order push button and connect appropriately

16) Is there an existing wired backup intercom?

YesNo	
17) Is there Network Connectivity for the site?	
Yes – ask for IT Contact to get:	
a) IP Address	
b) Subnet Mask	
18) Does the customer want Self-monitoring?	
Yes – enable Self-Monitoring	No
19) How many inactive days to before sending er	rror message?
DailyWeeklyMonthly _	Never?
20) How often does the customer want error repo	
21) Is there an existing speed of service timer inYesNo	place?
22) Where will the base station be located?	
23) Who is the restaurant POC* for training? Nar	me:
(POC* must be on-site during installation)	
24) Who will be given the password(s) at the res	taurant
Name:	_ Title:
 Name:	Title: